

IN THE CLAIMS:

Kindly amend claims 1, 5 and 6 as follows:

1. (Currently Amended) A kit containing:

(A) a first layer foundation composition and ~~(B) a second layer finishing composition,~~


~~(A) said first layer foundation composition~~ containing:

i[[.]] a silicone oil[[;]],

[[.]]ii) a polyether-modified silicone represented by the following formula,

iii) water, and

iv) hydrophobic powder:



wherein B represents a methyl group, a phenyl group, or a polyoxyalkylene group represented by the formula $C_3H_6O(C_2H_4O)_b(C_3H_6O)_cR^{13}$; R^{13} represents a hydrogen atom, an acyl group, or a C1-C4 alkyl group; each of b and c represents an integer of 5-50; R^{12} represents a methyl group or a phenyl group; m represents an integer of 50-1,000; n represents an integer of 1-40; and the molecule contains at least one polyoxyalkylene group represented by the above formula; and

(B) a [[said]] second layer finishing composition containing:

i) 1-100 wt.%, based on the entirety of the second layer finishing composition, of a first

powder having a regular reflection percentage of 1% or less, and a diffuse reflection percentage of 1% or less in an amount of 1-100 wt.% on the basis of the entirety of the finishing composition, and

ii) less than 10 wt.%, based on the entirety of the second layer finishing composition, of a second powder, ~~at least one of~~ wherein a regular reflection percentage and and/or a diffuse reflection percentage thereof ~~of which~~ is more than 5%, ~~in an amount of less than 10 wt.%, on the basis of the entirety of the finishing composition.~~

2. (Previously Amended) The kit according to claim 1, wherein the amount of first powder of said second layer finishing composition is 10-100 wt.% on the basis of the entirety of the finishing composition.

3. (Previously Amended) The kit according to claim 1, wherein the first powder of said second layer finishing composition has a refractive index of 1.3-2.0.

4. (Previously Amended) The kit according to claim 1, wherein the first layer foundation composition contains 20.0-80.0 wt.% of silicone oil, 2.0-30.0 wt.% of the polyether-modified silicone, 0.2-80.0 wt.% of the water, and 1.0-60.0 wt.% of the hydrophobic powder.

5. (Currently Amended) A kit containing:

(A) a first layer foundation composition ~~and B) a second layer finishing composition~~;

~~(A) said first layer foundation composition~~ containing a silicone oil having a viscosity of 15,000,000 cps or less as measured at 25°C and a ~~[[power]]~~ powder ingredient; and

(B) ~~a said~~ second layer finishing composition containing:

i) 1-100 wt.%, based on the entirety of the second layer finishing composition, of a first powder having a regular reflection percentage of 1% or less, and a diffuse reflection percentage of

1% or less, ~~in an amount of 1-100 wt.% on the basis of the entirety of the finishing composition,~~ and

ii) less than 10 wt.%, based on the entirety of the second layer finishing composition, of a second powder, ~~at least one of wherein~~ a regular reflection percentage ~~and and/or~~ a diffuse reflection percentage thereof ~~of which~~ is more than 5%, ~~in an amount of less than 10 wt.% on the basis of the entirety of the finishing composition.~~

6. (Currently Amended) A kit containing:

(A) a first layer foundation composition ~~and (B) a second layer finishing composition,~~

~~(A) said first layer foundation composition~~ containing a siliconated polysaccharide compound, and a silicone oil ~~having a low viscosity~~ and/or a powder ingredient; and

(B) a ~~[[said]]~~ second layer finishing composition containing:

i) 1-100 wt.%, based on the entirety of the second layer finishing composition, of a first powder having a regular reflection percentage of 1% or less, and a diffuse reflection percentage of 1% or less, ~~in an amount of 1-100 wt.% on the basis of the entirety of the finishing composition,~~ and

ii) less than 10 wt.%, based on the entirety of the second layer finishing composition, of a second powder, ~~wherein at least one of~~ a regular reflection percentage ~~and and/or~~ a diffuse reflection percentage thereof ~~of which~~ is more than 5%, ~~in an amount of less than 10 wt.% on the basis of the entirety of the finishing composition.~~

Kindly add new claims 7-9 as follows:

7. The kit of claim 1, wherein the second powder of the second layer finishing composition is selected from the group consisting of calcium phosphate, cellulose, mica, titanium oxide (rutile-type), titanium oxide (micropowder), sericite, zinc oxide and barium sulfate.

8. The kit of claim 5, wherein the second powder of the second layer finishing composition is selected from the group consisting of calcium phosphate, cellulose, mica, titanium oxide (rutile-type), titanium oxide (micropowder), sericite, zinc oxide and barium sulfate.

9. The kit of claim 6, wherein the second powder of the second layer finishing composition is selected from the group consisting of calcium phosphate, cellulose, mica, titanium oxide (rutile-type), titanium oxide (micropowder), sericite, zinc oxide and barium sulfate.